



Attachments

*Attachments do the **real** job*



PRICE LIST ATTACHMENTS-EN

Cod. B000731014_Rev. 05_01/05/23

EUROCOMACH ATTACHMENTS

Eurocomach Attachments is represented by a team of reliable consultants who are always ready to satisfy the needs of our worldwide customers.

With over forty years of experience in earth-moving and as producers of mini-excavators and compact loaders since the early 90s, today we are able to offer a wide range of equipment constantly evolving. With this additional service we offer a range of products tailored to machines used in branches that are also very different from one another: earth moving, forestry, demolition and recycling.



INDEX



DEMOLITION BREAKERS

4

WOOD GRAPPLES

6

SORTING GRAPPLES

10

SINGLE RIPPER

12

MULCHERS

14

AUGERS

30



4 IN 1 BUCKETS

34

MIXING BUCKETS

36

SWEEPER BUCKETS

38

PALLET FORKS

40

PLANERS

42

WHEEL SAWS

46

FRONT MULCHERS

56



LOADING RAMPS

58

ASSIGNMENT EUROCOMACH

64



DEMOLITION BREAKERS

The Eurocomach hammers are with a "monobloc" structure, that is a unique steel fusion and without tie rods. This specific feature allows an high efficiency suitable to heavy duty building site operations and the same time requires reduced maintenance.

The used high quality steels and the best heating treatments techniques grant reliability and long-lasting performance.

The range offers 8 different models applicable to excavators with operative weight from 0.8 to 11 ton.



Model	MDE 70 Plus	MDE 100 H	MDE 150 H	MDE 200 H	MDE 250 H	MDE 300 H	MDE 400 H	MDE 500 H
Excavator (ton)	0.8-1.4	1.5-2.2	2.3-3.0	2.8-4.5	4.0-7.0		6.0-9.5	9.6-11.0
Weight (kg)	70	100	145	190	250	320	430	540
Energy (J)	280	400	580	750	950	1200	1700	2300
Frequency (c/min)	800/1750	800/2300	800/2000	900/1900	850/1800	600/1500	500/1300	600/1200
Oil flow (l/min)	18-23	20-30	22-40	25-55	30-60	50-70	65-90	70-95
Pressure (bar)	100	110	110	130	140	160	150	150
Height (mm)	583	666	666	869	869	904	1135	1135
ø tool (mm)	40	45	48	55	65	75	80	90
Backpressure (bar)	30	30	30	30	30	30	30	30
Hydraulic pipes (inches)	2 - 1/2"	2 - 1/2"	2 - 1/2"	2 - 1/2"	2 - 1/2"	2 - 3/4"	2 - 3/4"	2 - 3/4"
Price •	€ 3.943,00	€ 4.298,00	€ 5.200,00	€ 6.564,00	€ 7.712,00	€ 8.617,00	€ 10.682,00	€ 12.417,00

- The given price doesn't include the tool.



MOIL POINT



CHISEL TOOL

DEMOLITION BREAKERS



0.8 - 11.0 t

ACCESSORIES:

Tools:

	MDE 70 Plus	MDE 100 H	MDE 150 H	MDE 200 H	MDE 250 H	MDE 300 H	MDE 400 H	MDE 500 H
Moil point	€ 355,00	€ 378,00	€ 401,00	€ 452,00	€ 504,00	€ 596,00	€ 836,00	€ 1.117,00
Chisel tool	€ 355,00	€ 378,00	€ 401,00	€ 452,00	€ 504,00	€ 596,00	€ 836,00	€ 1.117,00

Available ON REQUEST also: Blunt tool, Pile driver, Wood cutter tool and Asphalt cutter.

Adapter with pins:

Model	MDE 70 Plus	MDE 100 H	MDE 150 H	MDE 200 H	MDE 250 H	MDE 300 H	MDE 400 H	MDE 500 H
Price	€ 587,00			€ 745,00 €			€ 1.062,00	

Adapter for quick coupler:

Quick coupler	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 15	AR 30		AR 40		AR 50		AR 70
Price	€ 527,00	€ 567,00		€ 653,00		€ 767,00		€ 1.002,00
CR	CR 15	CR 30		CR 40		CR 50		CR 70
Price	€ 684,00	€ 762,00		€ 825,00		€ 1.011,00		€ 1.300,00
CS JANUS	CS 10	CS 30						CS 80
Price	€ 753,00	€ 882,00						€ 1.289,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F
Price	€ 742,00	€ 808,00			€ 939,00			€ 1.269,00
S NORDIC	S30/150 - S30/180		S40-200				S45	S50
Price	€ 828,00		€ 1.040,00				€ 1.324,00	€ 1.294,00
CM	CM 20	CM 30			CM 100			
Price	€ 753,00	€ 848,00			€ 1.045,00			
KLAC ALTERNATIK	0	1		2		3		
Price	€ 968,00	€ 1.051,00		€ 1.312,00		€ 1.601,00		

Fittings kit:


	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
Price	€ 55,00			€ 96,00				€ 139,00

The prices shown do not include VAT and transport.



WOOD GRAPPLES

PLE wood grabs are ideal for handling logs and long wood. Thanks to the high-strength steel and the comfortable 360 ° rotator, these pliers offer maximum load capacity. The claws and the chromed steel pins ensure high smoothness and long life. The PLE are standard equipped with self-lubricating bushings and a block valve.



Model	PLE 100	PLE 110	PLE 140	PLE 150	PLE 160
Excavator (ton)	1.5-2.0	2.1-3.5	3.6-6.5	5.8-6.5	6.6-9.0
Weight (kg)	60	80	130	175	220
Capacity (kg)	1.000	1.900	2.200	2.600	3.500
ø min (mm)	70	70	100	130	100
A (mm)	385	420	499	570	630
B (mm)	510	560	660	660	818
C (mm)	1.000	1.100	1.400	1.500	1.600
D (mm)	315	340	410	420	570
Hydraulic hoses	Not included, available upon request				
Price •	€ 1.550,00	€ 2.000,00	€ 2.400,00	€ 3.100,00	€ 4.000,00

- The rotator is not included in the price.

WOOD GRAPPLES



1.5 - 9.0 t

ROTATORS:



Model	IT-1	ITF-3	ITF-5	ITF-6	ITF-7
Recommended wood grapple	PLE 100	PLE 110	PLE 140	PLE 150	PLE 160
Weight (kg)	10	21.5	26	36	44
Max. static load (kg)	1.000	3.000	5.000	6.000	7.000
Max. dynamic load (kg)	500	1.500	2.500	3.000	3.500
Pair (Nm)	450	1.000	1.300	1.500	1.800
Oil flow (lt/min)	10	20	20	25	25
Max. pressure (bar)	250	250	250	250	250
Price	€ 950,00	€ 1.400,00	€ 1.650,00	€ 1.950,00	€ 3.270,00

ACCESSORIES:

Adapter with single pin:

Model	PLE 100	PLE 110	PLE 140	PLE 150	PLE 160
Price	€ 550,00			€ 930,00	

Adapter for quick coupler:


Quick coupler	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 15	AR 30		AR 40		AR 50		AR 70
Price	€ 700,00	€ 742,00		€ 831,00		€ 873,00		€ 1.449,00
CR	CR 15	CR 30		CR 40		CR 50		CR 70
Price	€ 864,00	€ 944,00		€ 1.010,00		€ 1.117,00		€ 1.632,00
CS JANUS	CS 10	CS 30						CS 80
Price	€ 816,00	€ 873,00						€ 1.621,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F
Price	€ 914,00	€ 983,00			€ 1.054,00			€ 1.670,00
S NORDIC	S30/150 - S30/180		S40-200				S45	S50
Price	€ 893,00		€ 1.072,00				€ 1.226,00	€ 1.627,00
CM	CM 20	CM 30			CM 100			
Price	€ 816,00	€ 839,00			€ 1.377,00			

The prices shown do not include VAT and transport.



OPEN WOOD GRAPPLES

The open wood grabs PLE (A), with 360 ° rotator, are ideal for handling wood or twigs and for loading wood chippers. Thanks to high-strength steel, these pliers offer maximum load capacity. The reinforced WELDOX claws and the chromed steel pins ensure high smoothness and long life. The PLE (A) are standard equipped with self-lubricating bushings and a block valve.



Model	PLE 110 A	PLE 140 A	PLE 150 A	PLE 160 A
Excavator (ton)	2.0-3.5	3.6-6.5	5.8-6.5	6.6-9.0
Weight (kg)	100	150	185	250
Capacity (kg)	1.900	2.200	2.600	3.500
ø min (mm)	70	100	130	100
A (mm)	420	499	570	630
B (mm)	560	660	580	818
C (mm)	1.100	1.400	1.500	1.600
D (mm)	460	520	530	670
Hydraulic hoses	Not included, available upon request			
Price •	€ 2.650,00	€ 3.300,00	€ 4.000,00	€ 4.700,00

- The rotator is not included in the price.

OPEN WOOD GRAPPLES



2.0 - 9.0 t

ROTATORS:



Model	ITF-3	ITF-5	ITF-6	ITF-7
Recommended wood grapple	PLE 110 A	PLE 140 A	PLE 150 A	PLE 160 A
Weight (kg)	21.5	26	36	44
Max. static load (kg)	3.000	5.000	6.000	7.000
Max. dynamic load (kg)	1.500	2.500	3.000	3.500
Pair (Nm)	1.000	1.300	1.500	1.800
Oil flow (lt/min)	20	20	25	25
Max. pressure (bar)	250	250	250	250
Price	€ 1.400,00	€ 1.650,00	€ 1.950,00	€ 3.270,00

ACCESSORIES:

Adapter with single pin:

Model	PLE 110 A	PLE 140 A	PLE 150 A	PLE 160 A
Price	€ 550,00		€ 930,00	

Adapter for quick coupler:


Quick coupler	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 15	AR 30		AR 40		AR 50		AR 70
Price	€ 700,00	€ 742,00		€ 831,00		€ 873,00		€ 1.449,00
CR	CR 15	CR 30		CR 40		CR 50		CR 70
Price	€ 864,00	€ 944,00		€ 1.010,00		€ 1.117,00		€ 1.632,00
CS JANUS	CS 10	CS 30						CS 80
Price	€ 816,00	€ 873,00						€ 1.621,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F
Price	€ 914,00	€ 983,00			€ 1.054,00			€ 1.670,00
S NORDIC	S30/150 - S30/180		S40-200				S45	S50
Price	€ 893,00		€ 1.072,00				€ 1.226,00	€ 1.627,00
CM	CM 20	CM 30			CM 100			
Price	€ 816,00	€ 839,00			€ 1.377,00			

The prices shown do not include VAT and transport.



SORTING GRAPPLES

All sorting grapples are equipped with standard hydraulic rotation and made in HB400 steel clamps with bolt-on reversible cutting edges. Designed to handle different materials, thanks to its particularly robust structure they're able to do also light demolition works.



Model	PSE 100	PSE 150	PSE 200	PSE 250	PSE 300	PSE 450
Excavator (ton)	1.2-1.8	1.9-2.5	2.6-4.0	4.1-6.0	6.1-7.5	7.6-12.0
A (mm)	700	900	1.100	1.300	1.300	1.500
B (mm)	300	400	500	500	600	700
C (mm)	270	300	330	390	410	460
D (mm)	680	750	810	850	930	990
Weight (kg)	93	150	203	320	380	550
Clamps pressure (bar)	180	220	245	275	350	350
Clamps oil flow (l/min)	25	25	25	60	60	60
Rotation pressure (bar)	320	320	250	250	250	250
Rotation oil flow (l/min)	22	22	15/20	22/30	22/30	22/30
Hydraulic rotation	bidirectional with hydraulic rotator		bidirectional with slewing ring			
Hydraulic hoses	Not included, available upon request					
Price (with rotators)	€ 8.060,00	€ 9.446,00	€ 10.901,00	€ 11.854,00	€ 12.740,00	€ 15.178,00
Price (without rotators)	€ 5.882,00	€ 7.259,00	€ 8.285,00	€ 9.241,00	€ 10.129,00	€ 12.563,00

SORTING GRAPPLES



1.0 - 12.0 t

ACCESSORIES:

Two pipe kit: A built-in solenoid valve enables use of hydraulic rotation and clamps opening/closing functions even on excavators with one double-acting hydraulic line.

Model	PSE 100	PSE 150	PSE 200	PSE 250	PSE 300	PSE 450
Price	€ 1.443,00		€ 1.771,00			

Adapter with pins:

Model	PSE 100	PSE 150	PSE 200	PSE 250	PSE 300	PSE 450
Price	€ 822,00	€ 1.062,00		€ 1.429,00	€ 1.521,00	€ 1.864,00

Adapter for quick coupler:

Quick coupler	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 15	AR 30		AR 40		AR 50		AR 70
Price	€ 527,00	€ 567,00		€ 653,00		€ 767,00		€ 1.002,00
CR	CR 15	CR 30		CR 40		CR 50		CR 70
Price	€ 684,00	€ 762,00		€ 825,00		€ 1.011,00		€ 1.300,00
CS JANUS	CS 10	CS 30						CS 80
Price	€ 753,00	€ 882,00						€ 1.289,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F
Price	€ 742,00	€ 808,00			€ 939,00			€ 1.269,00
S NORDIC	S30/150 - S30/180		S40-200				S45	S50
Price	€ 828,00		€ 1.040,00				€ 1.324,00	€ 1.294,00
CM	CM 20	CM 30			CM 100			
Price	€ 753,00	€ 848,00			€ 1.045,00			
KLAC ALTERNATIK	0	1		2		3		
Price	€ 968,00	€ 1.051,00		€ 1.312,00		€ 1.601,00		

Fittings kit:


	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
Price	€ 55,00		€ 96,00					€ 139,00

The prices shown do not include VAT and transport.



SINGLE RIPPER

The Single Ripper robust and resilient, made entirely of wear-resistant HB400 steel, is ideally suited for working on soils and for uprooting roots.



Model	RE 45	RE 53	RE 67	RE 80
Excavator (ton)	0.6 - 2.5	2.6 - 4.0	4.1 - 8.0	8.1 - 14.0
A (mm)	250	265	295	330
B (mm)	490	545	665	755
C (mm)	450	525	665	810
Weight (kg)	27	36	63	105
DC teeth	DC 3	DC 6	DC 8	DC 11
Weight tooth (kg)	2.1	4.0	5.4	7.7
Price	€ 1.055,00	€ 1.282,00	€ 1.786,00	€ 2.865,00



SINGLE RIPPER



0.6 - 14.0 t

ACCESSORIES:

Adapter with pins:

Model	RE 45	RE 53	RE 67	RE 80
Price	€ 616,00	€ 782,00	€ 871,00	€ 919,00

Adapter for quick coupler:

Quick coupler	Excavator (ton)								
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0	
AR	AR 15	AR 30		AR 40		AR 50		AR 70	
Price	€ 527,00	€ 567,00		€ 653,00		€ 767,00		€ 1.002,00	
CR	CR 15	CR 30		CR 40		CR 50		CR 70	
Price	€ 684,00	€ 762,00		€ 825,00		€ 1.011,00		€ 1.300,00	
CS JANUS	CS 10	CS 30							CS 80
Price	€ 753,00	€ 882,00							€ 1.289,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F	
Price	€ 742,00	€ 808,00			€ 939,00			€ 1.269,00	
S NORDIC	S30/150 - S30/180		S40-200				S45	S50	
Price	€ 828,00		€ 1.040,00				€ 1.324,00	€ 1.294,00	
CM	CM 20	CM 30			CM 100				
Price	€ 753,00	€ 848,00			€ 1.045,00				
KLAC ALTERNATIK	0	1		2		3			
Price	€ 968,00	€ 1.051,00		€ 1.312,00		€ 1.601,00			

Fittings kit:

	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
Price	€ 55,00			€ 96,00				€ 139,00


The prices shown do not include VAT and transport.



MULCHERS

TTE 60 SL - TTE 80 SL

Model	TTE 60 SL	TTE 80 SL
Excavator (ton)	1.5-2.5	1.5-2.5
A	83	100
B	50	50
C	35	35
Useful cut (cm)	60	80
Weight (kg)	70	80
Oil min (l/min)	17-28	17-28
Min/Max (bar)	170-220	170-220
Rotor	4 rows	4 rows
Transmission	Direct	Direct
Cylinder capacity	5-8-11,5	5-8-11,5
Nr. Maces	10	14
Mallet	HF1	HF1
Price •	€ 3.250,00	€ 3.400,00



TTE 60 SL and TTE 80 SL have the following technical specifications and standard equipment:

- Direct transmission.
- Internal double carcase hood with cavity.
- Symmetrical shredder for faster cutting with the rotation of the excavator.
- Completely identical inlets and outlets.
- Motor cover protection.
- 4-row rotor with mallets.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard lenght.
- Accident prevention protections according to CE standard.

• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
1.5-2.5	€ - 161,00



HF1 3 cm

MULCHERS

TTE 60 SL - TTE 80 SL



1.5 - 2.5 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
1.5-2.5	+30 kg	€ 550,00

Support roller:

Excavator (ton)	Price
1.5-2.5	€ 550,00

Blade kit for gardening use (assembly not included):

Model	TTE 60 SL		TTE 80 SL	
Blade (Nr. Maces)	KF1 (10)	€ 25,00	KF1 (14)	€ 25,00

Adapter with pins:

Model	TTE 60 SL	TTE 80 SL
Price	€ 450,00	

Adapter for quick coupler:

Quick coupler	Excavator (ton)	
	0.6-2.1	2.2-2.5
AR	AR 15	AR 30
Price	€ 527,00	€ 567,00
CR	CR 15	CR 30
Price	€ 684,00	€ 762,00
CS JANUS	CS 10	CS 30
Price	€ 753,00	€ 882,00
KLAC	KLAC C	KLAC D
Price	€ 742,00	€ 808,00
S NORDIC	S30/150 - S30/180	
Price	€ 828,00	
CM	CM 20	CM 30
Price	€ 753,00	€ 848,00
KLAC ALTERNATIK	0	1
Price	€ 968,00	€ 1.051,00

Fittings kit:

	Excavator (ton)	
	0.6-2.1	2.2-2.5
Price	€ 55,00	

The prices shown do not include VAT and transport.




KF1 2 cm



MULCHERS

TTE 70 L - TTE 90 L

Model	TTE 70 L	TTE 90 L
Excavator (ton)	2.5-3.5	2.5-3.5
A	95	115
B	55	55
C	45	45
Useful cut (cm)	70	90
Weight (kg)	130	150
Oil min (l/min)	17-28-40	28-40
Min/Max (bar)	170-220	170-220
Rotor	Helical	Helical
Transmission	Direct	Direct
Cylinder capacity	8-11,5-16	11,5-16
Nr Maces	10	14
Mallet	HF2	HF2
Price •	€ 4.350,00	€ 4.700,00




TTE 70 L and **TTE 90 L** feature the following technical specifications and standard equipment:

- Direct transmission.
- Internal double carcase hood with cavity.
- Motor cover protection.
- Support roller adjustable in 3 positions to change the cutting height.
- Helical rotor with HF2 mallets interchangeable with KC1 blades version.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard lenght.
- Accident prevention protections according to CE standard.

• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
2.5-3.5	€ - 161,00



HF2 5 cm

MULCHERS

TTE 70 L - TTE 90 L



2.5 - 3.5 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
2.5-3.5	+30 kg	€ 550,00

Blade kit for gardening use (assembly not included):

Model	TTE 70 L		TTE 90 L	
Blade (Nr. Maces)	KC1 (10)	€ 40,00	KC1 (14)	€ 40,00

Adapter with pins:

Model	TTE 70 L	TTE 90 L
Price	€ 450,00	

Adapter for quick coupler:

Quick coupler	Excavator (ton)		
	0.6-2.1	2.2-2.5	2.6-3.5
AR	AR 15	AR 30	
Price	€ 527,00	€ 567,00	
CR	CR 15	CR 30	
Price	€ 684,00	€ 762,00	
CS JANUS	CS 10	CS 30	
Price	€ 753,00	€ 882,00	
KLAC	KLAC C	KLAC D	
Price	€ 742,00	€ 808,00	
S NORDIC	S30/150 - S30/180		S40-200
Price	€ 828,00		€ 1.040,00
CM	CM 20	CM 30	
Price	€ 753,00	€ 848,00	
KLAC ALTERNATIK	0	1	
Price	€ 968,00	€ 1.051,00	

Fittings kit:

	Excavator (ton)		
	0.6-2.1	2.2-2.5	2.6-3.5
Price	€ 55,00		€ 96,00

The prices shown do not include VAT and transport.




KC1 3 cm



MULCHERS

TTE 70 R

Model	TTE 70 R
Excavator (ton)	2.5-5.5
A	85
B	80
C	60
Useful cut (cm)	70
Weight (kg)	180
Oil min (l/min)	20-30
Min/Max(bar)	170-220
Rotor	Helical
Transmission	Belt no. 2
Cylinder capacity	11.5-16
Nr Maces	10
Mallet	HF3
Price •	€ 6.500,00



TTE 70 R feature the following technical specifications and standard equipment:

- High performance toothed trapezoidal belt transmission.
- Internal double carcass hood with cavity.
- Belt cover protection.
- Symmetrical shredder for faster cutting with the rotation of the excavator.
- Completely identical inlets and outlets.
- Adjustable front panels, completely openable for greater cutting capacity.
- Support slides adjustable in 3 positions to change the cutting height.
- Helical rotor with HF3 tempered mallets interchangeable with KF3 blades version.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard lenght.
- Accident prevention protections according to CE standard.

• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
2.5-5.5	€ - 80,00



HF3 8 cm

MULCHERS

TTE 70 R



2.5 - 5.5 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
2.5-5.5	+40 kg	€ 820,00

Blade kit for gardening use (assembly not included):

Model	TTE 70R	
Blade (Nr. Maces)	KF3 (10)	€ 47,00

Adapter with pins:

Model	TTE 70R
Price	€ 450,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)			
	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5
AR	AR 30		AR 40	
Price	€ 567,00		€ 653,00	
CR	CR 30		CR 40	
Price	€ 762,00		€ 825,00	
CS JANUS	CS 30			
Price	€ 882,00			
KLAC	KLAC D			KLAC E
Price	€ 808,00			€ 939,00
S NORDIC	S30/150 - S30/180	S40-200		
Price	€ 828,00	€ 1.040,00		
CM	CM 30			CM 100
Price	€ 848,00			€ 1.045,00
KLAC ALTERNATIK	1		2	
Price	€ 1.051,00		€ 1.312,00	

Fittings kit:

	Excavator (ton)			
	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5
Price	€ 55,00	€ 96,00		

The prices shown do not include VAT and transport.




KF3 6 cm



MULCHERS

TTE 105 L

Model	TTE 105 L
Excavator (ton)	4.1-5.5
A	130
B	60
C	40
Useful cut (cm)	105
Weight (kg)	190
Oil min (l/min)	35-50
Min/Max (bar)	170-220
Rotor	Helical
Transmission	Direct
Cylinder capacity	16-22
Nr Maces	16
Mallet	HF2
Price •	€ 5.300,00



TTE 105 L features the following technical specifications and standard equipment:

- Direct transmission.
- Internal double carcass hood with cavity.
- Motor cover protection.
- Support roller adjustable in 3 positions to change the cutting height.
- Helical rotor with HF2 mallets interchangeable with KC1 blades version.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard length.
- Accident prevention protections according to CE standard.

• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
4.1-5.5	€ - 161,00



HF2 5 cm

MULCHERS

TTE 105 L



4.1 - 5.5 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
4.1-5.5	+35 kg	€ 820,00

Blade kit for gardening use (assembly not included):

Model	TTE 105 L	
Blade (Nr. Maces)	KC1 (16)	€ 40,00

Adapter with pins:

Model	TTE 105 L
Price	€ 630,00

Adapter for quick coupler:

Quick coupler	Excavator (ton)	
	3.6-4.1	4.2-5.5
AR	AR 40	
Price	€ 653,00	
CR	CR 40	
Price	€ 825,00	
CS JANUS	CS 30	
Price	€ 882,00	
KLAC	KLAC D	KLAC E
Price	€ 808,00	€ 939,00
S NORDIC	S40-200	
Price	€ 1.040,00	
CM	CM 30	CM 100
Price	€ 848,00	€ 1.045,00
KLAC ALTERNATIK	2	
Price	€ 1.312,00	

Fittings kit:

	Excavator (ton)	
	3.6-4.1	4.2-5.5
Price	€ 96,00	

The prices shown do not include VAT and transport.




KC1 3 cm



MULCHERS

TTE 90 R - TTE 90 FS

Model	TTE 90 R	TTE 90 FS
Excavator (ton)	5.1-8.0	6.1-8.0
A	105	105
B	80	80
C	60	60
Useful cut (cm)	90	90
Weight (kg)	245	330
Oil min (l/min)	30	50-60 80-90
Min/Max (bar)	170-220	200-220
Rotor	Helical	Forst Helical
Transmission	Belt no. 2	Belt no. 3
Cylinder capacity	22-27-34	27-34-44-51
Nr Maces	14	18
Mallet	HF3	HF17
Price •	€ 7.500,00	€ 9.400,00



TTE 90 R and **TTE 90 FS** feature the following technical specifications and standard equipment:

- R Helical rotor with HF3 tempered mallets interchangeable with KF3 blades version.
- FS Helical forestry rotor with retractable maces HF17.
- High performance toothed trapezoidal belt transmission.
- Internal double carcase hood with cavity.
- Belt cover protection.
- Symmetrical shredder for faster cutting with the rotation of the excavator.
- Completely identical inlets and outlets.
- Adjustable front panels, completely openable for greater cutting capacity.
- Support slides adjustable in 3 positions to change the cutting height.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard lenght.
- Accident prevention protections according to CE standard.


• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
5.1-8.0	€ - 161,00



HF3 8 cm



HF17 12 cm

MULCHERS

TTE 90 R - TTE 90 FS



5.1 - 8.0t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
5.1-8.0	+40 kg	€ 820,00

Blade kit for gardening use (assembly not included):

Model	TTE 90 R	
Blade (Nr. Maces)	KF3 (18)	€ 47,00

Adapter with pins:

Model	TTE 90 R	TTE 90 FS
Price	€ 450,00	€ 630,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)			
	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 40	AR 50		AR 70
Price	€ 653,00	€ 767,00		€ 1.002,00
CR	CR 40	CR 50		CR 70
Price	€ 825,00	€ 1.011,00		€ 1.300,00
CS JANUS	CS 30			CS 80
Price	€ 882,00			€ 1.289,00
KLAC	KLAC E			KLAC F
Price	€ 939,00			€ 1.269,00
S NORDIC	S40-200		S45	S50
Price	€ 1.040,00		€ 1.324,00	€ 1.294,00
CM	CM 100			
Price	€ 1.045,00			
KLAC ALTERNATIK	2	3		
Price	€ 1.312,00	€ 1.601,00		

Fittings kit:

	Excavator (ton)			
	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
Price	€ 96,00			€ 139,00

The prices shown do not include VAT and transport.




KF3 6 cm



MULCHERS

TTE 105 R - TTE 105 FS

Model	TTE 105 R	TTE 105 FS
Excavator (ton)	6.1-12.0	6.1-12.0
A	125	125
B	80	80
C	60	60
Useful cut (cm)	105	105
Weight (kg)	310	400
Oil min (l/min)	40-50-60 80-90	50-60 80-90
Min/Max (bar)	200-220	200-220
Rotor	Helical	Forst Helical
Transmission	Belt no. 2	Belt no. 3
Cylinder capacity	22-27-34-44-51	22-27-34-44-51
Nr Maces	16	22
Mallet	HF3	HF17
Price •	€ 8.250,00	€ 10.328,00



TTE 105 R and **TTE 105 FS** feature the following technical specifications and standard equipment:

- R Helical rotor with HF3 tempered mallets interchangeable with KF3 blades version.
- FS Helical forestry rotor with retractable maces HF17.
- High performance toothed trapezoidal belt transmission.
- Internal double carcase hood with cavity.
- Belt cover protection.
- Symmetrical shredder for faster cutting with the rotation of the excavator.
- Completely identical inlets and outlets.
- Adjustable front panels, completely openable for greater cutting capacity.
- Support slides adjustable in 3 positions to change the cutting height.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Rotor ball bearings with double crown.
- Anti-cavitation valve.
- Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
- Gear motor with cast iron flange and drain.
- Hoses 1800mm – standard lenght.
- Accident prevention protections according to CE standard.


• **Deduction valves block:**

For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
6.1-12.0	€ - 161,00



HF3 8 cm



HF17 12 cm

MULCHERS

TTE 105 R - TTE 105 FS



6.1 - 12.0 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
6.1-12.0	+40 kg	€ 820,00

Blade kit for gardening use (assembly not included):

Model	TTE 105 R	
Blade (Nr. Maces)	KF3 (22)	€ 47,00

Adapter with pins:

Model	TTE 105 R	TTE 105 FS
Price	€ 450,00	€ 630,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)	
	6.1-7.5	7.6-10.0
AR	AR 50	AR 70
Price	€ 767,00	€ 1.002,00
CR	CR 50	CR 70
Price	€ 1.011,00	€ 1.300,00
CS JANUS	CS 30	CS 80
Price	€ 882,00	€ 1.289,00
KLAC	KLAC E	KLAC F
Price	€ 939,00	€ 1.269,00
S NORDIC	S45	S50
Price	€ 1.324,00	€ 1.294,00
CM	CM 100	
Price	€ 1.045,00	
KLAC ALTERNATIK	3	
Price	€ 1.601,00	

Fittings kit:

	Excavator (ton)	
	6.1-7.5	7.6-10.0
Price	€ 96,00	€ 139,00

The prices shown do not include VAT and transport.




KF3 6 cm



MULCHERS

TTE 105 PR

Model	TTE 105 PR
Excavator (ton)	8.1-16.0
A	125
B	95
C	85
Useful cut (cm)	105
Weight (kg)	480
Oil min (l/min)	60-70-80 100
Min/Max (bar)	200-220
Rotor	Helical
Transmission	Toothed belt H50
Cylinder capacity	33-44-52-62
Nr Maces	16
Mallet	HF6
Price •	€ 11.000,00



TTE 105 PR features the following technical specifications and standard equipment:

- R Helical rotor with HF6 tempered mallets interchangeable with KF7 blades version.
 - High performance HTD pre-stretched toothed single-belt transmission.
 - Internal double carcase hood with cavity.
 - Belt cover protection.
 - Symmetrical shredder for faster cutting with the rotation of the excavator.
 - Completely identical inlets and outlets.
 - Adjustable front panels, completely openable for greater cutting capacity.
 - Support slides adjustable in 3 positions to change the cutting height.
 - Internal rotor supports with labyrinth to protect the bearings from impurities.
 - Rotor ball bearings with double crown.
 - Anti-cavitation valve.
 - Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
 - Gear motor with cast iron flange and drain.
 - Hoses 1800mm – standard lenght.
 - Accident prevention protections according to CE standard.
- **Deduction valves block:**
For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
8.1-16.0	€ - 161,00



HF6 8 cm

MULCHERS

TTE 105 PR



8.1 - 16.0 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
8.1-16.0	+60 kg	€ 1.120,00

Blade kit for gardening use (assembly not included):

Model	TTE 105 PR	
Blade (Nr. Maces)	KF7 (16)	€ 89,00

Adapter with pins:

Model	TTE 105 PR
Price	€ 793,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)
	7.6-10.0
AR	AR 70
Price	€ 1.002,00
CR	CR 70
Price	€ 1.300,00
CS JANUS	CS 80
Price	€ 1.289,00
KLAC	KLAC F
Price	€ 1.269,00
S NORDIC	S50
Price	€ 1.294,00
CM	CM 100
Price	€ 1.045,00
KLAC ALTERNATIK	3
Price	€ 1.601,00

Fittings kit:

	Excavator (ton)
	7.6-10.0
Price	€ 139,00

The prices shown do not include VAT and transport.




KF7 6 cm



MULCHERS

TTE 130 PR

Model	TTE 130 PR
Excavator (ton)	8.1-16.0
A	145
B	95
C	85
Useful cut (cm)	130
Weight (kg)	540
Oil min (l/min)	70-80-90
Min/Max (bar)	200-220
Rotor	Helical
Transmission	Toothed belt H50
Cylinder capacity	34-44-51
Nr Maces	20
Mallet	HF6
Price •	€ 11.700,00



TTE 130 PR features the following technical specifications and standard equipment:

- R Helical rotor with HF6 tempered mallets interchangeable with KF7 blades version.
 - High performance HTD pre-stretched toothed single-belt transmission.
 - Internal double carcase hood with cavity.
 - Belt cover protection.
 - Symmetrical shredder for faster cutting with the rotation of the excavator.
 - Completely identical inlets and outlets.
 - Adjustable front panels, completely openable for greater cutting capacity.
 - Support slides adjustable in 3 positions to change the cutting height.
 - Internal rotor supports with labyrinth to protect the bearings from impurities.
 - Rotor ball bearings with double crown.
 - Anti-cavitation valve.
 - Valves block for gear engine: including priority for oil flow regulation and shock-proof (max pressure valve). For machines without grasscutter hydraulics or without a direct line to the hydraulic tank.
 - Gear motor with cast iron flange and drain.
 - Hoses 1800mm – standard lenght.
 - Accident prevention protections according to CE standard.
- **Deduction valves block:**
For machines with grasscutter hydraulics or without a direct line to the hydraulic tank.

Excavator (ton)	Price
8.1-16.0	€ - 161,00



HF6 8 cm

MULCHERS

TTE 130 PR



8.1 - 16.0 t

ACCESSORIES:

Self-levelling rocker:

Convertible in fixed and rotating version.

Excavator (ton)	Weight	Price
8.1-16.0	+60 kg	€ 1.120,00

Blade kit for gardening use (assembly not included):

Model	TTE 105 PR	
Blade (Nr. Maces)	KF7 (16)	€ 89,00

Adapter with pins:

Model	TTE 105 PR
Price	€ 793,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)
	7.6-10.0
AR	AR 70
Price	€ 1.002,00
CR	CR 70
Price	€ 1.300,00
CS JANUS	CS 80
Price	€ 1.289,00
KLAC	KLAC F
Price	€ 1.269,00
S NORDIC	S50
Price	€ 1.294,00
CM	CM 100
Price	€ 1.045,00
KLAC ALTERNATIK	3
Price	€ 1.601,00

Fittings kit:

	Excavator (ton)
	7.6-10.0
Price	€ 139,00

The prices shown do not include VAT and transport.




KF7 6 cm



TRE augers can be quickly and precisely applied in every condition of slope ground.

Built with high endurance steel and equipped with a high-performance hydraulic motor, they guarantee a long term reliability.

Each auger can be equipped with 3 different bit types, to provide drilling of different soils ensuring optimal results even in very rocky soils.



Model	TRE 15	TRE 20	TRE 45	TRE 70
Excavator (ton)	1.2-1.8	1.9-4.0	4.1-7.5	7.6-14.0
A (mm)	270	300	300	370
B (mm)	500	620	730	950
Hexagon	50	50	50	70
Weight (kg)	75	130	160	250
Oil flow (l/min)	25/35	30/60	50/75	60/90
Pressure (bar)	175	200	200	250
Max torque (n/m)	1.600	2.200	6.000	10.000
Hydraulic hoses	Not included, available upon request			
Price	€ 3.044,00	€ 3.642,00	€ 4.806,00	€ 7.132,00

AUGERS



1.2 - 14.0 t

ACCESSORIES:

Extension: It allows to increase the drilling depth. Extension size of 1.000 mm.

Model	TRE 15	TRE 20	TRE 45	TRE 70
Price	€ 714,00	€ 714,00	€ 714,00	€ 870,00

Bit:

Hexagon (mm)	50							
Ø (mm)	150	200	250	300	350	400	500	600
Standard bit: low or medium consistency soils.	€ 870,00	€ 933,00	€ 1.016,00	€ 1.205,00	€ 1.237,00	€ 1.572,00	€ 1.688,00	€ 2.638,00
Medium bit: medium or high consistency soils.	€ 927,00	€ 1.001,00	€ 1.227,00	€ 1.499,00	€ 1.546,00	€ 1.783,00	€ 1.942,00	€ 2.508,00
Rock bit: soils with rocks or crushed stones	€ 1.112,00	€ 1.185,00	€ 1.363,00	€ 1.665,00	€ 1.718,00	€ 1.980,00	€ 2.158,00	€ 2.787,00

Hexagon (mm)	70							
Ø (mm)	150	200	250	300	350	400	500	600
Standard bit: low or medium consistency soils.	€ 955,00	€ 1.028,00	€ 1.162,00	€ 1.383,00	€ 1.531,00	€ 1.728,00	€ 1.856,00	€ 3.194,00
Medium bit: medium or high consistency soils.	€ 1.142,00	€ 1.207,00	€ 1.376,00	€ 1.632,00	€ 1.717,00	€ 1.961,00	€ 2.142,00	€ 3.008,00
Rock bit: soils with rocks or crushed stones	€ 1.267,00	€ 1.341,00	€ 1.531,00	€ 1.814,00	€ 1.906,00	€ 2.180,00	€ 2.377,00	€ 3.342,00

**Adapter with pins:**

Model	TRE 15	TRE 20	TRE 45	TRE 70
Price	€ 501,00	€ 667,00	€ 756,00	€ 919,00


Adapter for quick coupler:

Quick coupler	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
AR	AR 15	AR 30		AR 40		AR 50		AR 70
Price	€ 527,00	€ 567,00		€ 653,00		€ 767,00		€ 1.002,00
CR	CR 15	CR 30		CR 40		CR 50		CR 70
Price	€ 684,00	€ 762,00		€ 825,00		€ 1.011,00		€ 1.300,00
CS JANUS	CS 10	CS 30						CS 80
Price	€ 753,00	€ 882,00						€ 1.289,00
KLAC	KLAC C	KLAC D			KLAC E			KLAC F
Price	€ 742,00	€ 808,00			€ 939,00			€ 1.269,00
S NORDIC	S30/150 - S30/180		S40-200				S45	S50
Price	€ 828,00		€ 1.040,00				€ 1.324,00	€ 1.294,00
CM	CM 20	CM 30			CM 100			
Price	€ 753,00	€ 848,00			€ 1.045,00			
KLAC	0	1		2		3		
Price	€ 968,00	€ 1.051,00		€ 1.312,00		€ 1.601,00		

Fittings kit:

	Excavator (ton)							
	0.6-2.1	2.2-2.5	2.6-3.5	3.6-4.1	4.2-5.5	5.6-6.0	6.1-7.5	7.6-10.0
Price	€ 55,00		€ 96,00					€ 139,00

The prices shown do not include VAT and transport.





NOTES:

4 IN 1 BUCKETS



The 4-in-1 Eurocomach bucket is designed to load, grab, unload and level in a measured way any kind of material.

It is a universally appreciated tool for its versatility by making things easier and quicker on worksites.



Model	B4E 102	B4E 110	B4E 125	B4E 140	B4E 152	B4E 170	B4E 188	B4E 200	B4E 215
A (mm)	1.020	1.100	1.250	1.400	1.520	1.700	1.880	2.000	2.150
B (mm)	850	850	850	850	850	950	950	950	950
C (mm)	500	500	500	500	500	550	550	550	550
D (mm)	650	650	650	650	650	700	700	700	700
Empty weight (Kg)	240	250	265	285	300	370	390	410	440
Maximum capacity (l)	265	290	330	375	410	490	550	580	630
Hydraulic hoses	Included – standard length								
Price	€ 3.735,00	€ 3.906,00	€ 4.280,00	€ 4.752,00	€ 5.095,00	€ 5.434,00	€ 5.943,00	€ 6.449,00	€ 6.959,00





The prices shown do not include VAT and transport.

4 IN 1 BUCKETS



TECHNICAL FEATURES:

- ① **SAFETY CHECK-VALVE:**
It allows to keep the tool safe even in case of damage of the pipes or pressure loss in the system.
- ② **SIDE TOOTHING:**
Its profile enables to keep the grabbed material.
- ③ **HB400 REINFORCEMENT STRIPES AND CUTTING EDGE:**
They grant high resistance against deformation of the more stressed parts.
- ④ **HYDRAULIC SYSTEM INTEGRATED INTO THE BODY:**
It's integrated into the body thus protecting pipes from damages during the working phase.



ACCESSORIES:

Teeth optional: available upon request with DC1 teeth.




DC 1,4 kg

MIXING BUCKETS



The Eurocomach mixing bucket is designed to make the production of concrete on site quick and safe: the discharge pipe is placed to the side, in a totally safe position and does not require the presence of the operator below the equipment.

The bucket tank is designed so that the entire structure of the paddles can be extracted, facilitating maintenance operations.



Model	BME 150	BME 200	BME 250	BME 350	BME 450
A (mm)	1.000	1.100	1.350	1.350	1.670
B (mm)	1.258	1.370	1.620	1.630	1.946
C (mm)	620	650	650	720	720
D (mm)	530	580	610	680	680
Empty weight (Kg)	225	280	320	370	425
Operating load (Kg)	570	740	895	1.175	1.460
Maximum capacity (l)	150	200	250	350	450
Discharge pipe diameter (mm)	180	210	210	210	210
Max. oil flow (l/min)	70	70	70	70	70
Max. pressure (bar)	200	200	200	200	200
Hydraulic hoses	Included – standard length				
Price	€ 6.072,00	€ 6.400,00	€ 6.729,00	€ 7.421,00	€ 8.421,00





The prices shown do not include VAT and transport.

MIXING BUCKETS



TECHNICAL FEATURES:


- ① **SAFE LOCKING/DISCHARGE:**
The operator locks the discharge pipe from the bucket's side in the safest work condition.
- ② **CONTROL ROD FOR THE DISCHARGE PIPE:**
It enables the pipe's displacement for the side pouring.
- ③ **FIXING SYSTEM FOR THE DISCHARGE PIPE:**
It allows to fix the pipe in its position of side discharge.
- ④ **SAFE AUGER IN HB4000:**
When the grid is opened an automatic system stops the auger's rotating movement.
- ⑤ **AUGER REMOVAL:**
The bucket's body has been designed in a such way that the entire auger can be removed thus making the maintenance operation easier.
- ⑥ **GEARMOTOR:**
It guarantees high performances to the entire system
- ⑦ **ELECTRIC KIT:**
It allows the control both of the mixing and the discharge operations from the cab.



SWEEPER BUCKETS



Five different models are available; the Eurocomach sweeper bucket can be equipped with a PPL brush suitable for the cleaning of standard and sensitive surfaces, or with a steel+PPL brush for particularly abrasive ones. The robust structure and the cutting edge in high-strength HB400 steel grant an excellent performance on any type of surface, even on tough mud.



Model	BSE 140	BSE 160	BSE 180	BSE 210	BSE 230
A (mm)	1.400	1.600	1.800	2.100	2.300
B (mm)	1.550	1.750	1.950	2.250	2.450
C (mm)	1.700	1.900	2.100	2.400	2.600
D (mm)	1.390	1.390	1.390	1.390	1.390
E (mm)	625	625	625	625	625
F (mm)	860	860	860	860	860
Empty weight (Kg)	300	330	360	415	450
Maximum capacity (l)	380	440	490	570	630
Brush diameter (mm)	550	550	550	550	550
Brush elements (N.)	28+2	32+2	37+2	43+2	48+2
Oil flow (l/min)	50	50	60	70	70
Max. pressure (bar)	180	180	180	180	180
Price (PPL brush kit)	€ 5.401,00	€ 5.864,00	€ 6.149,00	€ 6.795,00	€ 7.327,00
Price (PPL+steel brush kit)	€ 5.401,00	€ 6.118,00	€ 6.400,00	€ 7.090,00	€ 7.670,00

TECHNICAL FEATURES:

- Bolt-on reversible HB400 cutting edge.
- Engine with square flanges and disk gearbox.
- Flow divider valve.
- PPL or steel + PPL brush KIT

SWEEPER BUCKETS



ACCESSORIES:

① DUST-CONTROL SYSTEM:

Pressurized water system with tank for the control of dusts produced during the working cycle. Sprinklers are positioned inside and outside the sweeper.

Model	Price
BSE 140 - BSE 160 - BSE 180 - BSE 210 - BSE 230	€ 1.517,00

② SIDE BRUSH:

Model	Price
BSE 140 - BSE 160 - BSE 180 - BSE 210 - BSE 230	€ 2.195,00

③ SPRINKLERS FOR SIDE BRUSH:

Model	Price
BSE 140 - BSE 160 - BSE 180 - BSE 210 - BSE 230	€ 260,00




The prices shown do not include VAT and transport.

PALLET FORKS



Specially employed in the building sector, the Eurocomach pallet forks are designed to handle palletized loads.

All the 4 models are equipped with a safety system to avoid the tilting of loads during its use.



Model	FPE 10	FPE 15	FPE 18	FPE 25
A (mm)	1.150	1.150	1.350	1.350
B (mm)	1.200	1.200	1.200	1.200
C (mm)	80	100	100	100
C2 (mm)	30	35	35	40
D (mm)	405	405	405	405
E (mm)	820	820	820	820
Weight (Kg)	125	165	180	195
Load (Kg)	1.000	1.500	1.800	2.500
Price	€ 1.522,00	€ 1.618,00	€ 1.881,00 •	€ 2.120,00 •

- The price includes forks housing for street circulation.


The prices shown do not include VAT and transport.

PALLET FORKS



TECHNICAL FEATURES:

- ① **PROTECTION FRAME:**
It protects the operator, avoiding the falling of the handled material.





PLANERS


FE 45.20 HP - FE 50.20 PL - FE 60.20 PL
FE 60.20 HP - FE 75.20 PL

HIGH FLOW

Planers for asphalt and concrete, fitted with self-levelling system of the supporting side slides, complete with:

- Standard drum with concrete type teeth
- Mechanical independent left and right depth adjustment with telescopic screws
- Mechanical floating transverse tilt damped system
- Hydraulic side shift with universal coupling

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FE 45.20 HP	FE 50.20 PL	FE 60.20 PL	FE 60.20 HP	FE 75.20 PL
Standard drum(mm)	width 450 depth 0-170	width 500 depth 0-170	width 600 depth 0-170	width 600 depth 0-170	width 750 depth 0-170
Required oil flow (l/min)	100-150	90-160	90-160	110-170	110-180
Required oil pressure (bar)	300	300-160	300-160	300	300-180
Hydraulic hoses	Included – standard length				
Price	€ 23.100,00	€ 24.000,00	€ 25.800,00	€ 28.400,00	€ 30.000,00

PLANERS

FE 45.20 HP - FE 50.20 PL - FE 60.20 PL
FE 60.20 HP - FE 75.20 PL



ACCESSORIES:

Model	FE 45.20 HP	FE 50.20 PL	FE 60.20 PL	FE 60.20 HP	FE 75.20 PL
Electro-hydraulic valve necessary for skidsteer-loader with only 3 hydraulic lines. Electrical device included.	€ 1.950,00	€ 1.950,00	€ 1.950,00	€ 1.950,00	€ 1.950,00
Independent left and right hydraulic depth adjustment	€ 2.040,00	€ 2.040,00	€ 2.040,00	€ 2.040,00	€ 2.040,00
Hydraulic tilt adjustment with possibility of floating position (if combined to V3 and wiring loom)	€ 1.420,00	€ 1.420,00	€ 1.420,00	€ 1.420,00	€ 1.420,00
Removable right hand slide	€ 450,00	€ 450,00	€ 450,00	€ 450,00	€ 450,00
Pressure gauge - Performer	€ 620,00	€ 620,00	€ 620,00	€ 620,00	€ 620,00
Water spraying system incorporated in the planer shift unit	€ 2.300,00	€ 2.300,00	€ 2.300,00	€ 2.300,00	€ 2.300,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 1.520,00	€ 1.520,00	€ 1.520,00	€ 1.520,00	€ 1.520,00

The prices shown do not include VAT and transport.



PLANERS


FE 1000 PL - FE 1200 PL

HIGH FLOW

Planers for asphalt and concrete, fitted with self-levelling system of the supporting side slides, complete with:

- Standard drum with concrete type teeth
- Mechanical independent left and right depth adjustment with telescopic screws
- Mechanical floating transverse tilt damped system
- Hydraulic side shift with universal coupling

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FE 1000 PL	FE 1200 PL
Standard drum(mm)	width 1.000 depth 0-130	width 1.200 depth 0-130
Required oil flow (l/min)	95-200	110-200
Required oil pressure (bar)	350-180	350-180
Hydraulic hoses	Included – standard length	
Price	€ 36.800,00	€ 40.500,00

PLANERS

FE 1000 PL - FE 1200 PL



ACCESSORIES:

Modello	FE 1000 PL	FE 1200 PL
Electro-hydraulic valve necessary for skidsteer-loader with only 3 hydraulic lines. Electrical device included.	€ 1.950,00	€ 1.950,00
Independent left and right hydraulic depth adjustment	€ 2.040,00	€ 2.040,00
Hydraulic tilt adjustment with possibility of floating position (if combined to V3 and wiring loom)	€ 1.420,00	€ 1.420,00
Removable right hand slide	€ 450,00	€ 450,00
Pressure gauge - Performer	€ 620,00	€ 620,00
Water spraying system incorporated in the planer shift unit	€ 2.400,00	€ 2.500,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€1.600,00	€1.700,00

The prices shown do not include VAT and transport.




WHEEL SAWS

FRE 300 T

Wheel saw complete with standard wheel bits:

- Hydraulic side shift with universal coupling

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FRE 300 T
Working depth (mm)	300
Standard wheel width (mm)	80
Operating weight with standard wheel (Kg)	665
Required oil flow (l/min)	60-140
Required oil pressure (bar)	300-160
Hydraulic hoses	Included – standard length
Price	€ 21.400,00

WHEEL SAWS

FRE 300 T



ACCESSORIES:

Model	FRE 300 T	
	In substitution to standard wheel	In addition to standard wheel
Wheel width 25 mm	€ 21.100,00	€ 4.300,00
Wheel width 30 mm	€ 21.100,00	€ 4.300,00
Wheel width 50 mm	€ 22.700,00	€ 5.900,00
Wheel width 80 mm	-	€ 4.378,00

Model	FRE 300 T
Electro-hydraulic valve necessary for skid-steer-loader with only 3 hydraulic lines. Electrical device included	€ 1.950,00
Trench clearing device	€ 1.950,00
Pressure gauge - Performer	€ 630,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 1.900,00

The prices shown do not include VAT and transport.




WHEEL SAWS FRE 450 T - FRE 600 T

Wheel saw complete with wheel with concrete type of teeth:

- Hydraulic depth adjustment
- Hydraulic side shift with universal couplings
- Larger right hand slide to clear material 40 cm away from the trench (only for FRE 600 T)

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FRE 450 T	FRE 600 T
Working depth (mm)	150-450	200-600
Required oil flow (l/min)	80-160	90-160
Required oil pressure (bar)	300-180	300-180
Hydraulic hoses	Included – standard length	
Price with wheel 50 mm	€ 37.350,00	-
Price with wheel 80 mm	€ 35.700,00	€ 41.000,00
Price with wheel 100 mm	€ 34.600,00	€ 40.000,00
Price with wheel 130 mm	€ 34.600,00	€ 40.000,00
Price with wheel 160 mm	€ 35.500,00	€ 40.800,00
Price with wheel 200 mm	€ 36.100,00	€ 41.200,00

WHEEL SAWS

FRE 450 T - FRE 600 T



ACCESSORIES:

Model	FRE 450 T	FRE 600 T
Electro-hydraulic valve necessary for skid-steer-loader with only 3 hydraulic lines. Electrical device included	€ 1.950,00	€ 1.950,00
Trench clearing device	€ 2.300,00	€ 2.450,00
Additional right hand side material clearing slide	€ 420,00	-
Additional left hand side material clearing slide	€ 500,00	€ 580,00
Left and right outlet closing kits	€ 560,00	€ 560,00
Pressure gauge - PERFORMER	€ 630,00	€ 630,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 2.200,00	€ 2.200,00

The prices shown do not include VAT and transport.




WHEEL SAWS

FRE 450 TS - FRE 600 TS

Wheel saw complete with basic wheel without segments:

- Hydraulic depth adjustment
- Hydraulic side shift with universal couplings
- Larger right hand slide to clear material 40 cm away from the trench (only for FRE 600 T)

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FRE 450 TS	FRE 600 TS
Working depth (mm)	150-450	200-600
Required oil flow (l/min)	80-160	90-160
Required oil pressure (bar)	300-180	300-180
Hydraulic hoses	Included – standard length	
Price (without segments)	€ 31.000,00	€ 34.700,00

Segment kit (compulsory)	FRE 450 TS	FRE 600 TS
S 50	€ 6.700,00	-
S 80	€ 6.250,00	€ 7.403,00
S 100	€ 6.400,00	€ 8.000,00
S 130	€ 6.600,00	€ 8.300,00
S 160	€ 7.282,00	€ 8.900,00
S 200	€ 8.100,00	€ 9.500,00

WHEEL SAWS

FRE 450 TS - FRE 600 TS



ACCESSORIES:

Model	FRE 450 TS	FRE 600 TS
Electro-hydraulic valve necessary for skid-steer-loaders with only 3 hydraulic lines. Electrical device included	€ 1.950,00	€ 1.950,00
Trench clearing device	€ 2.250,00	€ 2.629,00
Additional right hand side material clearing slide	€ 420,00	-
Additional left hand side material clearing slide	€ 490,00	€ 570,00
Left and right outlet closing kits	€ 550,00	€ 550,00
Pressure gauge Performer	€ 630,00	€ 630,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 2.200,00	€ 2.200,00

The prices shown do not include VAT and transport.




WHEEL SAWS

FRE 500 RW

Wheel saw with basic wheel without segments:

- Hydraulic depth adjustment
- Hydraulic side shift with universal coupling

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Modello	FRE 500 RW
Working depth (mm)	250-500
Required oil flow (l/min)	90-160
Required oil pressure (bar)	300-160
Hydraulic hoses	Included – standard length
Price	€ 32.650,00

Segment kit (compulsory)	FRE 500 RW
S 50	€ 7.260,00
S 80	€ 7.128,00
S 100	€ 7.700,00
S 120	€ 8.050,00

WHEEL SAWS

FRE 500 RW



ACCESSORIES:

Model	FRE 500 RW
Electro-hydraulic valve necessary for skid-steer-loaders with only 3 hydraulic lines. Electrical device included	€ 1.950,00
Pressure gauge - PERFORMER	€ 630,00
Right hand closing kit	€ 480,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 2.200,00

The prices shown do not include VAT and transport.




WHEEL SAWS

FRE 500 RWA

Wheel saw with basic wheel without segments:

- Hydraulic depth adjustment
- Hydraulic sideshift with universal coupling
- Hydraulic tilt

Ideal for skid-steer-loader with 3 hydraulic lines (add valve V3) and for skid-steer-loader with 5 hydraulic lines.



Model	FRE 500 RWA
Working depth (mm)	250-500
Required oil flow (l/min)	90-160
Required oil pressure (bar)	300-160
Hydraulic hoses	Included – standard length
Price (without segments)	€ 41.250,00

Segment kit (compulsory)	FRE 500 RWA
S 50	€ 7.260,00
S 80	€ 7.128,00
S 100	€ 7.700,00
S 120	€ 8.050,00

WHEEL SAWS

FRE 500 RWA



ACCESSORIES:

Model	FRE 500 RWA
Electro-hydraulic valve necessary for skid-steer-loaders with only 3 hydraulic lines. Electrical device included	€ 1.950,00
Pressure gauge - PERFORMER	€ 630,00
Right hand closing kit	€ 480,00
Water spraying system with nebulizers for mounting on skid steer roof including 110 l tank with 12 V electric pump, filter, regulating valve and quick release	€ 2.200,00


The prices shown do not include VAT and transport.



FRONT MULCHERS

TTE 160 S - TTE 180 S - TTE 200 S

Model	TTE 160 S	TTE 180 S	TTE 200 S
Compact loader (HP)	50-90	50-90	50-90
A	182	202	222
B	120	120	120
C	110	110	110
Useful cut (cm)	160	180	200
Weight (kg)	890	930	970
Oil min (l/min)	60-80 100-120	60-80 100-120	60-80 100-120
Min/Max (bar)	200-220	200-220	200-220
Rotor	4 rows	4 rows	4 rows
Transmission	Belt no. 4	Belt no. 4	Belt no. 4
Cylinder capacity	27-34-44-51	27-34-44-51	27-34-44-51
Nr Maces	18	20	22
Mallet	HF16	HF16	HF16
Hydraulic hoses	Included – standard length		
Price	€ 12.500,00	€ 13.300,00	€ 14.300,00



TTE 160 S, TTE 180 S and TTE 200 S feature the following technical specifications and standard equipment:

- Oscillating and self-leveling attack.
- Mechanical side shift TTE 180 S, TTE 200 S.
- High performance toothed trapezoidal belt transmission.
- Internal double carcase hood with cavity.
- Belt cover protection.
- Rotor bearings.
- Helical rotor with HF16 tempered mallets interchangeable with KF3 blades version.
- Internal rotor supports with labyrinth to protect the bearings from impurities.
- Valve block including priority for oil flow regulation, shock-proof (max pressure valve), anti-cavitation.
- Gear motor with cast iron flange.
- Hoses 3000 mm – standard lenght.
- Accident prevention protections with chains according to CE standard.



HF16 8 cm

FRONT MULCHERS

TTE 160 S - TTE 180 S - TTE 200 S



50 - 90 HP

ACCESSORIES:

Hydraulic translation:

Compact loader (HP)	Price
50-90	€ 1.000,00

Solenoid valve kit:

For TTE 180 S and TTE 1200 S hydraulic drive.

Compact loader (HP)	Price
50-90	€ 650,00

Blade kit for gardening use (assembly not included):

Model	TTE 160 S		TTE 180 S		TTE 200 S	
Blade (Nr. Maces)	KF3 (18)	€ 47,00	KF3 (20)	€ 47,00	KF3 (22)	€ 47,00

Piston motor:

Compact loader (HP)	Price
50-90	€ 2.700,00

The prices shown do not include VAT and transport.



KF3 6 cm

LOADING RAMPS



Our loading ramps are made of high-strength aluminum, to ensure maximum solidity and safety during loading/unloading operations. Ideal for handling wheeled vehicles or equipped with rubber tracks, from 0 to 10,5 tons of weight.

HOW TO CHOOSE THE RAMPS:

In order to choose the right type of ramps, following data is required:

- weight of the machine;
- pace of the machine;
- height of the loading surface.



1. To choose is fundamental the inclination, which must not exceed the maximum slope of 30%.
2. It is recommended to follow this formula underneath to identify the minimum length of the ramps:

$$\text{LENGTH (mm)} = \frac{\text{TRUCK BED HEIGHT (mm)}}{\text{SLOPE RECOMMENDED (30\%)}} \times 100$$

Example:

$$\text{LENGTH} = \frac{1.500}{30} \times 100 = 5.000 \text{ mm}$$

3. Please keep in consideration the pace of the machine, if the ramp is between two figures, the lowest is to be kept in consideration.



LOADING RAMPS




Following types of ramps are available:

- **RAMPS WITH BOARD:** the transit surface is between two sideboards which are ment as a guide to reduce the chance to drive out of the ramp itself;
- **RAMPS WITHOUT BOARD:** the transit surface is without sideboards hence the whole loading surface is available from side to side.

TYPE OF FIXING OF THE RAMPS:

- **WITH TAB:** the ramps are equipped with a cylindrical guide inside on which it is possible to slide a tab that is inserted between the loading surface of the vehicle and the side. Do not use this method if the ramp is not equipped with sideboards. (Supplied as standard)





LOADING RAMPS WITH SIDEBOARD

Code - Nr.	Model	Lenght (mm)	Pair Weight (Kg)	Tread max. weight (kg) •				Intern L. (mm)	Extern L. (mm)	Flange H. (mm)	Price (pair)
				1.000 (mm)	1.500 (mm)	2.000 (mm)	2.500 (mm)				
B726000109	RCS 95-25	2.500	40	2.600	2.950	2.950	-	300	350	26	€ 847,00
B726000110	RCS 95-30	2.900	45	2.050	2.500	2.500	-	300	350	26	€ 955,00
B726000111	RCS 95-35	3.500	52	1.600	1.850	2.100	-	300	350	26	€ 1.101,00
B726000112	RCS 116-25	2.500	46	3.800	4.350	4.350	-	300	350	40	€ 975,00
B726000113	RCS 116-30	2.900	52	3.050	3.650	3.700	-	300	350	40	€ 1.101,00
B726000114	RCS 116-32	3.200	55	2.650	3.100	3.350	-	300	350	40	€ 1.165,00
B726000115	RCS 116-35	3.500	60	2.700	3.100	3.500	-	300	350	40	€ 1.270,00
B726000116	RCS 116-40	4.000	69	1.950	2.200	2.500	-	300	350	40	€ 1.463,00
B726000117	RCS 140-30	2.900	56	4.550	5.400	5.400	-	300	350	40	€ 1.185,00
B726000118	RCS 140-32	3.200	60	3.900	4.650	4.850	-	300	350	40	€ 1.270,00
B726000119	RCS 140-35	3.500	63	3.450	4.000	4.400	-	300	350	40	€ 1.334,00
B726000120	RCS 140-40	3.950	75	2.900	3.300	3.800	-	300	350	40	€ 1.588,00
B726000121	RCS 140-30W	2.900	61	4.850	4.850	4.850	-	350	400	40	€ 1.291,00
B726000122	RCS 140-32W	3.200	68	3.900	4.650	4.850	-	350	400	40	€ 1.439,00
B726000123	RCS 140-35W	3.500	71	3.950	4.600	4.850	-	350	400	40	€ 1.504,00
B726000124	RCS 140-40W	3.950	81	2.900	3.300	3.800	-	350	400	40	€ 1.714,00
B726000125	RCS 151-30	3.000	88	5.600	6.750	6.800	-	400	462	40	€ 1.947,00
B726000126	RCS 151-32	3.200	92	5.100	6.000	6.300	-	400	462	40	€ 2.007,00
B726000127	RCS 151-35	3.400	97	4.650	5.450	5.900	-	400	462	40	€ 2.053,00
B726000128	RCS 151-40	4.000	110	4.300	4.850	5.550	-	400	462	40	€ 2.330,00
B726000129	RCS 151-45	4.500	121	3.700	4.100	4.600	-	400	462	40	€ 2.561,00
B726000130	RCS 151-30W	3.000	94	5.750	6.900	6.900	-	450	512	40	€ 1.991,00
B726000131	RCS 151-32W	3.200	97	5.200	6.200	6.400	-	450	512	40	€ 2.053,00
B726000132	RCS 151-35W	3.400	102	4.750	5.550	6.000	-	450	512	40	€ 2.160,00
B726000133	RCS 151-40W	4.000	118	3.800	4.300	4.950	-	450	512	40	€ 2.499,00
B726000134	RCS 151-45W	4.500	132	3.750	4.150	4.700	-	450	512	40	€ 2.794,00
B726000135	RCS 171-30	3.000	100	9.950	11.950	11.950	-	470	542	40	€ 2.117,00
B726000136	RCS 171-35	3.400	110	7.150	8.350	8.950	-	470	542	40	€ 2.435,00
B726000137	RCS 171-40	4.000	130	7.450	8.500	8.650	-	470	542	40	€ 2.753,00
B726000138	RCS 171-45	4.400	141	5.000	5.600	6.300	-	470	542	40	€ 2.984,00
B726000139	RCS 171-50	5.000	166	4.850	5.350	5.950	-	470	542	40	€ 3.515,00

LOADING RAMPS WITH SIDEBOARD



Code - Nr.	Model	Lenght (mm)	Pair Weight (Kg)	Tread max. weight (kg) •				Intern L. (mm)	Extern L. (mm)	Flange H. (mm)	Price (pair)
				1.000 (mm)	1.500 (mm)	2.000 (mm)	2.500 (mm)				
B726000140	RCS 171-30W	3.000	114	10.450	12.500	12.500	12.500	520	592	40	€ 2.414,00
B726000141	RCS 171-35W	3.400	120	7.500	8.800	9.400	9.400	520	592	40	€ 2.540,00
B726000142	RCS 171-40W	4.000	138	5.950	6.750	7.750	7.800	520	592	40	€ 2.923,00
B726000143	RCS 171-45W	4.400	150	5.200	5.850	6.600	7.050	520	592	40	€ 3.177,00
B726000144	RCS 171-50W	5.000	172	4.400	4.850	5.350	6.000	520	592	40	€ 3.641,00
B726000145	RCS 191-35	3.500	135	9.800	11.450	12.300	12.300	500	570	40	€ 2.858,00
B726000146	RCS 191-40	4.000	150	9.300	10.600	12.150	12.150	500	570	40	€ 3.177,00
B726000147	RCS 191-45	4.400	166	7.050	7.900	8.950	9.450	500	570	40	€ 3.515,00

- The range tests were performed in the worst conditions (0% slope).

Rubber coating for steel tracks	Code - Nr.	Price
(per linear meter)	B910020001	€ 86,00

LOADING RAMPS WITHOUT SIDEBOARD



Code - Nr.	Model	Length (mm)	Pair Weight (Kg)	Tread max. weight (kg) •				Intern L. (mm)	Extern L. (mm)	Flange H. (mm)	Price (pair)
				1.000 (mm)	1.500 (mm)	2.000 (mm)	2.500 (mm)				
B726000148	RCS 95-25-SB	2.500	40	2.950	2.950	2.950	-	300	350	4	€ 847,00
B726000149	RCS 95-30-SB	2.900	45	2.500	2.500	2.500	-	300	350	4	€ 955,00
B726000150	RCS 95-35-SB	3.500	52	1.950	2.250	2.350	-	300	350	4	€ 1.101,00
B726000151	RCS 116-25-SB	2.500	46	4.100	4.600	4.600	-	300	350	4	€ 975,00
B726000152	RCS 116-30-SB	2.900	52	3.250	3.900	3.900	-	300	350	4	€ 1.101,00
B726000153	RCS 116-32-SB	3.200	55	2.800	3.300	3.500	-	300	350	4	€ 1.165,00
B726000154	RCS 116-35-SB	3.500	60	2.700	3.100	3.500	-	300	350	4	€ 1.270,00
B726000155	RCS 116-40-SB	4.000	69	2.050	2.300	2.650	-	300	350	4	€ 1.463,00
B726000156	RCS 140-30-SB	2.900	56	4.850	5.650	5.650	-	300	350	4	€ 1.185,00
B726000157	RCS 140-32-SB	3.200	60	4.150	4.850	4.850	-	300	350	4	€ 1.270,00
B726000158	RCS 140-35-SB	3.500	63	3.600	4.250	4.600	-	300	350	4	€ 1.334,00
B726000159	RCS 140-40-SB	3.950	75	3.050	3.450	4.000	-	300	350	4	€ 1.588,00
B726000160	RCS 140-30W-SB	2.900	61	4.900	4.900	4.900	-	350	400	4	€ 1.291,00
B726000161	RCS 140-32W-SB	3.200	68	4.850	4.900	4.900	-	350	400	4	€ 1.439,00
B726000162	RCS 140-35W-SB	3.500	71	4.200	4.900	4.900	-	350	400	4	€ 1.504,00
B726000163	RCS 140-40W-SB	3.950	81	4.100	4.500	4.500	-	350	400	4	€ 1.714,00
B726000164	RCS 151-30-SB	3.000	88	6.000	7.100	7.100	-	400	462	4	€ 1.947,00
B726000165	RCS 151-32-SB	3.200	92	5.400	6.450	6.600	-	400	462	4	€ 2.007,00
B726000166	RCS 151-35-SB	3.400	97	4.900	5.800	6.150	-	400	462	4	€ 2.053,00
B726000167	RCS 151-40-SB	4.000	110	4.500	5.100	5.900	-	400	462	4	€ 2.330,00
B726000168	RCS 151-45-SB	4.500	121	3.800	4.250	4.800	-	400	462	4	€ 2.561,00
B726000169	RCS 151-30W-SB	3.000	94	6.150	7.250	7.250	-	450	512	4	€ 1.991,00
B726000170	RCS 151-32W-SB	3.200	97	5.550	6.600	6.700	-	450	512	4	€ 2.053,00
B726000171	RCS 151-35W-SB	3.400	102	5.050	5.950	6.250	-	450	512	4	€ 2.160,00
B726000172	RCS 151-40W-SB	4.000	118	3.950	4.500	5.200	-	450	512	4	€ 2.499,00
B726000173	RCS 151-45W-SB	4.500	132	3.850	4.300	4.850	-	450	512	4	€ 2.794,00
B726000174	RCS 171-30-SB	3.000	100	10.550	12.250	12.250	-	470	542	4	€ 2.117,00
B726000175	RCS 171-35-SB	3.400	110	7.500	8.850	9.000	-	470	542	4	€ 2.435,00
B726000176	RCS 171-40-SB	4.000	130	7.800	8.950	8.950	-	470	542	4	€ 2.753,00
B726000177	RCS 171-45-SB	4.400	141	5.150	5.800	6.600	-	470	542	4	€ 2.984,00
B726000178	RCS 171-50-SB	5.000	166	5.000	5.550	6.150	-	470	542	4	€ 3.515,00

LOADING RAMPS WITHOUT SIDEBORD



Code - Nr.	Model	Lenght (mm)	Pair Weight (Kg)	Tread max. weight (kg) •				Intern L. (mm)	Extern L. (mm)	Flange H. (mm)	Price (pair)
				1.000 (mm)	1.500 (mm)	2.000 (mm)	2.500 (mm)				
B726000179	RCS 171-30W-SB	3.000	114	10.900	12.900	12.900	12.900	520	592	4	€ 2.414,00
B726000180	RCS 171-35W-SB	3.400	120	7.750	9.150	9.650	9.650	520	592	4	€ 2.540,00
B726000181	RCS 171-40W-SB	4.000	138	6.100	6.950	7.950	7.950	520	592	4	€ 2.923,00
B726000182	RCS 171-45W-SB	4.400	150	5.350	6.000	6.800	7.200	520	592	4	€ 3.177,00
B726000183	RCS 171-50W-SB	5.000	172	4.500	4.950	5.500	6.150	520	592	4	€ 3.641,00
B726000184	RCS 191-35-SB	3.500	135	9.800	11.450	12.300	12.300	500	570	4	€ 2.858,00
B726000185	RCS 191-40-SB	4.000	150	9.300	10.600	12.150	12.150	500	570	4	€ 3.177,00
B726000186	RCS 191-45-SB	4.400	166	7.050	7.900	8.950	9.450	500	570	4	€ 3.515,00

- The range tests were performed in the worst conditions (0% slope).

Rubber coating for steel tracks	Code - Nr.	Price
(per linear meter)	B910020001	€ 86,00

NOTES:

The prices shown do not include VAT and transport.

ASSIGNMENT EUROCOMACH



ASSIGNMENT ATTACHMENTS - EUROCOMACH MACHINES

EXCAVATORS

DEMOLITION BREAKERS:

Attachment model	Machine models	Page
MDE 70 Plus	12ZT-14SR	4
MDE 100 H	15X-15ZT-17SR-18ZT-19ZT-19TR-22SR	4
MDE 150 H	22SR-25ZT-28ZT-35ZT	4
MDE 200 H	35ZT-42ZT-45TR	4
MDE 250 H	50ZT-55TR-58ZT-60ZT-65TR	4
MDE 300 H	58ZT-60ZT-65TR	4
MDE 400 H	75ZT-75TR-85SB-90ZT-95UR-100TR	4
MDE 500 H	75ZT-75TR-85SB-90ZT-95UR-100TR	4

WOOD GRAPPLES:

Attachment model	Machine models	Page
PLE 100	15ZT-15X-17SR-18ZT-19ZT-19TR-22SR	6
PLE 110	22SR-25ZT-28ZT-35ZT	6
PLE 140	35ZT-42ZT-45TR-50ZT-55TR-58ZT-60ZT-65TR	6
PLE 150	58ZT-60ZT-65TR	6
PLE 160	75ZT-75TR-85SB-90ZT-95UR-100TR	6

OPEN WOOD GRAPPLES:

Attachment model	Machine models	Page
PLE 110 A	22SR-25ZT-28ZT-35ZT	8
PLE 140 A	35ZT-42ZT-45TR-50ZT-55TR-58ZT-60ZT-65TR	8
PLE 150 A	58ZT-60ZT-65TR	8
PLE 160 A	75ZT-75TR-85SB-90ZT-95UR-100TR	8

SORTING GRAPPLE:

Attachment model	Machine models	Page
PSE 100	12ZT-14SR-15X-15ZT-17SR-18ZT-19ZT-19TR	10
PSE 150	22SR-25ZT-28ZT	10
PSE 200	35ZT-42ZT-45TR-50ZT-55TR	10
PSE 250	58ZT-60ZT-65TR	10
PSE 300	75ZT-75TR	10
PSE 450	85SB-90ZT-95UR-100TR	10

ASSIGNMENT ATTACHMENTS - EUROCOMACH MACHINES

EXCAVATORS

SINGLE RIPPER:

Attachment model	Machine models	Page
RE 45	12ZT-14SR-15ZT-17SR-18ZT-19ZT-19TR-22SR	12
RE 53	25ZT-28ZT-35ZT-42ZT	12
RE 67	42ZT-45TR-50ZT-55TR-58ZT-60ZT-65TR-75ZT-75TR	12
RE 80	85SB-90ZT-95UR-100TR	12

MULCHERS:

Attachment model	Machine models	Page
TTE 60 SL-TTE 80 SL	12ZT-14SR-18ZT-22SR-25ZT-28ZT	14
TTE 70 L-TTE 90 L	22SR-25ZT-28ZT-35ZT-42ZT-45TR	16
TTE 70 R	25ZT-28ZT-35ZT-42ZT-45TR-50ZT-55TR	18
TTE 105 L	42ZT-45TR-50ZT-55TR	20
TTE 90 R	42ZT-45TR-50ZT-55TR-58ZT-60ZT-65TR-75ZT-75TR	22
TTE 90 FS	58ZT-60ZT-65TR-75ZT-75TR-85SB-90ZT-95UR-100TR	22
TTE 105 R-TTE 105 FS	58ZT-60ZT-65TR-75ZT-75TR-85SB-90ZT-95UR-100T	24
TTE 105 PR	85SB-90ZT-95UR-100TR	26
TTE 130 PR	85SB-90ZT-95UR-100TR	28

AUGERS:

Attachment model	Machine models	Page
TRE 15	14SR-15X-15ZT-17SR-18ZT	30
TRE 20	19ZT-19TR-22SR-25ZT-28ZT-35ZT-42ZT-45TR	30
TRE 45	50ZT-55TR-58ZT-60ZT-65TR-75ZT-75TR	30
TRE 70	75ZT-75TR-85SB-90ZT-95UR-100TR	30

ASSIGNMENT ATTACHMENTS - EUROCOMACH MACHINES

COMPACT WHEELED LOADERS AND TRACKED LOADERS

4 IN 1 BUCKETS:

Attachment model	Machine models	Counter weights optional	Page
B4E 170	17SK	Not required	34
B4E 188	18TL	Not required	34
B4E 200	19SK	Not required	34
B4E 215	20TL	Not required	34

MIXING BUCKETS:

Attachment model	Machine models	Counter weights optional	Page
BME 250	17SK-18TL-19SK-20TL	Not required	36
BME 350	17SK-18TL-19SK-20TL	Not required	36
BME 450	18TL	②	36
	19SK	Not required	

SWEEPER BUCKETS:

Attachment model	Machine models	Counter weights optional	Page
BSE 160	17SK-18TL	Not required	38
BSE 180	17SK-18TL-19SK	Not required	38
BSE 210	19SK-20TL	Not required	38
BSE 230	20TL	Not required	38

PALLET FORKS:

Attachment model	Machine models	Counter weights optional	Page
FPE 18	17SK-18TL-19SK-20TL	Not required	40
FPE 25	20TL	Not required	40

PLANERS:

Attachment model	Machine models	Counter weights optional	Pagina
FE 45.20 HP-FE 50.20 PL	17SK	③ ④	42
	18TL-19SK-20TL	Not required	
FE 60.20 PL-FE 60.20 HP	17SK	③ ④	42
	18TL-19SK-20TL	Not required	
FE 75.20 PL	18TL-19SK-20TL	Not required	42
FE 1000 PL-FE 1200 PL	18TL	②	44
	19SK-20TL	Not required	

ASSIGNMENT ATTACHMENTS - EUROCOMACH MACHINES



COMPACT WHEELED LOADERS AND TRACKED LOADERS

WHEEL SAWS:

Attachment model	Machine models	Counter weights optional	Page
FRE 300 T	17SK-18TL-19SK-20TL	Not required	46
FRE 450 T	17SK-18TL-19SK-20TL	Not required	48
FRE 600 T	18TL	② ③ ④	48
	19SK-20TL	Not required	
FRE 450 TS	17SK	③ ④	50
	18TL	② ③ ④	
	19SK-20TL	Not required	
FRE 600 TS	18TL	② ③ ④	50
	19SK-20TL	Not required	
FRE 500 RW	18TL	② ③ ④	52
	19SK-20TL	Not required	
FRE 500 RWA	18TL	② ③ ④	54
	19SK-20TL	Not required	

FRONT MULCHERS:

Attachment model	Machine models	Counter weights optional	Page
TTE 160 S	17SK	③ ④	56
	18TL	Not required	
TTE 180 S	18TL	②	56
	19SK-20TL	Not required	
TTE 200 S	19SK-20TL	Not required	56



ASSIGNMENT RAMPS - EUROCOMACH MACHINES

EXCAVATORS

LOADING RAMPS WITH SIDEBOARD:

Machine models	Attachment model				Page
	Lenght 3.000 mm	Lenght 3.500 mm	Lenght 4.000 mm	Lenght 4.500 mm	
12ZT-14SR-15X	RCS 95-30	RCS 95-35	-	-	60
15ZT-17SR-18ZT-19ZT-19TR	RCS 95-30	RCS 116-35	-	-	60
22SR-25ZT	RCS 116-30	RCS 116-35	RCS 140-40W	-	60
28ZT	RCS 140-30W	RCS 140-35W	RCS 140-40W	-	60
35ZT	RCS 140-30W	RCS 140-35W	RCS 151-40	-	60
42ZT-45TR	RCS 151-30	RCS 151-35	RCS 151-40	RCS 171-45	60
50ZT-55TR-58ZT-60ZT-65TR	RCS 171-30	RCS 171-35	RCS 171-40	RCS 171-45	60
75ZT-75TR	-	RCS 171-35	RCS 171-40	RCS 171-45	60
85SB-90ZT-95UR-100TR	-	RCS 191-35	RCS 191-40	RCS 191-45	60

LOADING RAMPS WITHOUT SIDEBOARD:

Machine models	Attachment model				Page
	Lenght 3.000 mm	Lenght 3.500 mm	Lenght 4.000 mm	Lenght 4.500 mm	
12ZT-14SR	RCS 95-30-SB	RCS 95-35-SB	-	-	62
15ZT-17SR-18ZT-19ZT	RCS 95-30-SB	RCS 95-35-SB	-	-	62
19TR	RCS 95-30-SB	RCS 116-35-SB	-	-	62
22SR-25ZT	RCS 116-30-SB	RCS 116-35-SB	RCS 140-40W-SB	-	62
28ZT	RCS 140-30W-SB	RCS 140-35W-SB	RCS 140-40W-SB	-	62
35ZT	RCS 140-30W-SB	RCS 140-35W-SB	RCS 151-40-SB	-	62
42ZT-45TR	RCS 151-30-SB	RCS 151-35-SB	RCS 151-40-SB	RCS 171-45-SB	62
50ZT-55TR-58ZT-60ZT-65TR	RCS 171-30-SB	RCS 171-35-SB	RCS 171-40-SB	RCS 171-45-SB	62
75ZT-75TR	-	RCS 171-35-SB	RCS 171-40-SB	RCS 191-45-SB	62
85SB-90ZT-95UR-100TR	-	RCS 191-35-SB	RCS 191-40-SB	RCS 191-45-SB	62

ASSIGNMENT RAMPS - EUROCOMACH MACHINES

COMPACT WHEELED LOADERS AND TRACKED LOADERS

LOADING RAMPS WITH SIDEBOARD:

Machine models	Attachment model				Page
	Lenght 3.000 mm	Lenght 3.500 mm	Lenght 4.000 mm	Lenght 4.500 mm	
17SK-18TL	RCS 140-30W	RCS 140-35W	RCS 151-40	-	60
19SK-20TL	RCS 171-30	RCS 171-35	RCS 171-40	RCS 171-45	60

LOADING RAMPS WITHOUT SIDEBOARD:

Machine models	Attachment model				Page
	Lenght 3.000 mm	Lenght 3.500 mm	Lenght 4.000 mm	Lenght 4.500 mm	
17SK-18TL	RCS 140-30W-SB	RCS 140-35W-SB	RCS 151-40-SB	-	62
19SK-20TL	RCS 171-30-SB	RCS 171-35-SB	RCS 171-40-SB	RCS 171-45-SB	62



Attachments

Concrete solutions. Always. Concrete solutions. Always.
Concrete solutions. Always. **Concrete solutions. Always.** Concrete so
Concrete solutions. Always. Concrete solutions. Always.
s. Always. Concrete solutions. Always. **Concrete solu**
Concrete solutions. Always. **Concrete solutions. Alw**
Concrete solutions. Always. Concrete solutions. Alwa



COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
ISO 9001

The information contained in this document is of general nature. Sampierana S.p.A. reserves the right to change technical data and product characteristics at any time without prior notice. The photos are for illustrative purposes only and do not necessarily refer to standard products. For instructions on the correct use of the products, see the use and maintenance manual. Sampierana S.p.A. shall not be held responsible for any damage to people and/or property, if the instructions contained in the use and maintenance manual are not complied with.

Sampierana S.p.A.

Via Leonardo da Vinci, 40

47021 S. Piero in Bagno (FC) - ITALY

Tel +39 0543 904211

www.eurocomach.com

